-		POPULATIO	N ESTIMAT	ES	LON	G-TERM CARE		LOCAL HEAL	TH DEPARTM	IENTS
	Total 20	02 Populat	ion	18,040	   Community Opti   MA Waiver Prog	ons and				Per 10,000
۱	Populat	ion per sq	uare mile	31	1			Staffing - FTE	Number	Population
İ	County	ranking i	n state (	1-72) 51	COP MA Waiver *	Clients	Costs	Total staff	6	3.3
- 1	,	_	•	•	COP	4	\$127,433	Administrative Professional staff Technical/Paraprof Support staff		
İ	Age	Female	Male	Total	MA Waiver *			Professional staff	4	2.2
İ	0-14	1,670	1,790	3,470	CIP1A		\$0	Technical/Paraprof	· 1	0.6
	15-19	700	750	1,450	CIP1A CIP1B	13	\$110.341 l	Support staff	1	0.6
	20-24	520	560	1,070	CIP2		\$0			
-	25-29	1,670 700 520 430 490	460	880	CIP2 COP-W CSLA Brain Injury Total COP/Wvrs		\$0	Funding Total Local Taxes		Per capita
ļ	30-34	490	490	980	CSLA	•	\$436	Total _	\$284,203	\$15.74
ļ	35-39	600 700	580 700	1,180	Brain Injury	. <u>.</u>	\$0	Local Taxes	\$167,766	\$9.29
-	40-44	700	700	1,410	Total COP/Wvrs	17	\$238,210	I TOENOED E	OTABL TOURS	NTO
	45-54	1,340 890	1,380	2,710				LICENSED E	STABLISHME	:NIS
	55-64	890	940	1,820			vaiver costs	Turna	Consoity	Faailitiaa
	65-74 75-84	780 690	680 460	1,460	were paid as	Tocal match/	overmatch	lype	Capacity	Facilities
	75-84 85+	330	140	1,140 470	using COP fun not included	in above COF	Doorto	Compo	17	6
	Total	9,110	0.020	18,040	l Hor Theragea	III above cor	Costs.	Ualips Hatala Matala	160	0
-	TOTAL	9,110	6,930	10,040	* Waiver cost	e ranartad h	nara	Type Bed & Breakfast Camps Hotels, Motels Tourist Rooming	109	6
	Age	Female	Mala	Total	include fede	.s reported r	161.6	Pools	17	5
-	0-17	2 070	2,240	4,320	i illotade rede	nar runurng.	'	Restaurants		31
-	18-44	2,070 3,040	3,090	6,120		Clients	Costs	Vending		3
	45-64	2 230	2,320	4,530	   Fligible and	OTICITES	00313	vending		O
l	65±	2,230 1,800	1,280	3,070	Eligible and Waiting	3	n/a			
-	Total	9,110	8.930	18,040	marting	Ū	, ۵			
١		-,	-,	,	Family Care	318	\$5.744.774	WIC PAR	RTICIPANTS	
ı	Povertv	Estimates	for 2000		, <b>_,</b>		, , , , , , , , , ,			
1	_	Fst	imate	(C.I.+/-)	Note: This cou	nty is a pil	Lot for the			Number
İ	All ag	es	1,818	<b>`</b> 111	Family Care	Waiver. Eli	igible and	Pregnant/Postpartu	ım	155
İ	_	•	10.1%	( 6%)	waiting clie	nts will be	phased	Infants		179
- 1	Ages 0	17	625	(6%) (6%) 53 (8%)	into Family	Care. Hence,	clients	Children, age 1-4		246
İ	_		13.8%	( 8%)	can incur co	sts for COP	/Waivers	Total		580
ĺ					and Family C	are.				
		EMPL	OYMENT					CANCER INC	CIDENCE (20	00)
	Average w	age for jo	bs covere	d <sub>.</sub>	Home Health Ag	encies	.	Primary Site		
-		oyment com			Patients   Patients per		.	Breast		10
-	Note: bas	ed on plac	e of work	_	Patients per	10,000 pop.		Cervical		0
ļ				Annual			_	Colorectal		3
-	Labor For	ce Estimat	es	Average	Nursing Homes Licensed beds		2	Lung and Bronchus		10
	04414			0 404	Licensed beds	-	144	Prostate		11
	Civilian	Labor For	ce	8,464	Occupancy rat	:e	85.2%	Other sites		30
	Number	embroked	d	8,034 400	Residents on	DEC.31	120	Total		64
	Nulliber	Township to ye	u + o	43U 5 10,	nestuents age	nonjation Google Otael	27	Note: Totals shown	ano fon	
	oriellip	тоушент га	LE	3.1%	Occupancy rat Residents on Residents age per 1,000 po	ρυταιτοιι	ا ۱	invasive cand		
-					 		 	TIIVASIVE CAIIC	era onity.	

TOTAL LIVE BIRTHS		207	NATA Birth Order	LIIY Births	Percent	Marital Status		
TOTAL LIVE BIRTING		201	First	70	34	of Mother	Births	Percent
Crude Live Birth Rate		11.5	Second	77	37	Married	157	76
General Fertility Rat		60.5	Third	35	17	Not married	50	24
delieral rectiffity hat	E	00.5		25	12		0	0
			Fourth or higher			Unknown	U	U
Live births with repo	rtea		Unknown	0	0			
congenital anomalies		5 2.4%				Education		
			First Prenatal			of Mother	Births	Percent
Delivery Type	Births	Percent	Visit	Births	Percent	Elementary or le		8
Vaginal after			1st trimester	158	76	Some high school	17	8
previous cesarean	4	2	2nd trimester	31	15	High school	80	39
Forceps	1	<.5	3rd trimester	10	5	Some college	59	29
Other vaginal	145		No visits	3	1	College graduate		15
Primary cesarean	28		Unknown	5	2	Unknown	4	2
Repeat cesarean	29	14	Onknown	J	_	Omariown	-	_
Other or unknown	0	0	Number of Prenatal			Smoking Status		
OCHEL OF MIKHOWII	U	J	Care visits	Births	Percent	of Mother	Births	Percent
Dinthwoight	Dintho	Donoon+	No visits				29	14
Birthweight	PTI. FIIS	Percent		3	1 7	Smoker		14
<1,500 gm	3 5	1.4	1-4	14	7	Nonsmoker	177	86
1,500-2,499 gm	5	2.4	5-9	47	23	Unknown	1	<.5
2,500+ gm	199	96.1	10-12	88	43			
Unknown	0	0	13+	50	24			
			Unknown	5	2			
			Low Birthweight		Trimest	 er of First Prenata	 1 Visit	
			(under 2,500 gm)	1st Tr	imester	2nd Trimester		/Unknown
Race of Mother	Births F	Percent	Births Percent	Rirths	Percent	Births Percent		Percent
White	204	99	8 3.9	157	77	30 15	17	8
Black	1	<.5	*	*	, ,	*	*	O
Other	2	\.5 1	*	*	•	*	*	•
	0	0	•		•	•		•
Unknown	U	U		•	•		•	•
			Low Birthweight		Trimest	er of First Prenata		
		ertility	(under 2,500 gm)	1st Tr	imester	2nd Trimester		/Unknown
Age of Mother	Births	Rate	`Births Þercent´	Births	Percent	Births Percent	Births	Percent
<15	0							
15-17	2	5	* .	*		*	*	
18-19	10	34	1 10.0	8	80	2 20	_	-
20-24	66	128	2 3.0	45	68	14 21	7	11
25-29	67	157	2 0.0	53	79	9 13	5	7
30-34	41	84	4 9.8	33 37	90	2 5	2	5
	17	28	4 9.0	13	76	3 18	4	6
35-39			*	13	70	3 18 *	l	O
40+	4	6	^ •	*	•	^ •	*	-
Unknown	0			•	•		•	•

MORBIDITY				MO	RTALITY		
REPORTED* CASES OF SELECTED I		Note: Death rates (   neonatal, and   Perinatal and	except in I postneom I fetal de	nfant) are natal death eath rates	per 100,000 population. I rates are per 1,000 liv are per 1,000 live birth culated for fewer than 2	Infant, ve births. ns plus	
Disease	Number	TOTAL DEATHS		197	Selected		
Campylobacter Enteritis	<5	Crude Death Ra	ite	1,092	Underlying Cause	Deaths	Rate
Giardiasis	<5			•	Heart Disease (total)	59	327
Hepatitis Type A	0				Ischemic heart diseas	se 36	200
Hepatitis Type B**	0	Age	Deaths	Rate	Cancer (total)	40	222
Hepatitis NANB/C	<5	1-4	1		Cancer (total) Trachea/Bronchus/Lung	j 10	
Legionnaire's	0	5-14			Colorectal Female Breast	2	
Lyme	22	15-19	3		Female Breast	3	.*
Measles	0	20-34	4		Cerebrovascular Diseas		127
Meningitis, Aseptic	0	35-54	15		Lower Resp. Disease		
Meningitis, Bacterial	0	55-64	12		Pneumonia & Influenza	6	. ]
Mumps	0	65-74	21		Accidents	1 <u>6</u>	. [
Pertussis	0	75-84	71	6,207	Motor vehicle	7	•
Salmonellosis	<5	85+	68	14,521	Diabetes	3	. [
Shigellosis	<5				Infect./Parasitic Dis	. 2	•
Tuberculosis	0	Tufant			Suicide	2	•
* 2002 provisional data		Infant	Daatha	Data	# Data fan fanala haar		
1 ZUUZ DI UVISIUNAI UALA	<b></b>	Mortality	Deaths	Rate	* Rate for female brea		based
** Includes all positive HBsA	g	Mortality   Total Infant   Neonatal	2 2	•	on female popula	atton.	
test results		Neonatai	2	•	ALCOHOL AND DRUG ADUST	- AC LINDEDI	VINC
		Postneonatal Unknown			ALCOHOL AND DRUG ABUSE OR CONTRIBUTING CAL		
Sexually Transmitted Disease	0	OHKHOWH	•	•	OR CONTRIBUTING CAC	JOE OF DEAT	ın į
Chlamydia Trachomatis	20	   Race of Mother			Alcohol		
Genital Herpes	20 5	Mace of Mother	2		Other Druge	4	•
Gonorrhea	<5	Wille   Black	2	•	Other Drugs Both Mentioned	7	•
Syphilis	,0	Other		•	Both Mentioned	•	•
Оурпітіз	J	Unknown	•	•	MOTOR VEHICL	F CRASHES	/
		i ommown	•	•	mo ron venios	LE OIL/IOIILO	\
		Birthweight			Note: These data are	based on 1	location
IMMUNIZATIONS		<1,500 gm			of crash, not o		
	'	1.500-2.499 gm			j ,		
Children in Grades K-12 by		2,500+ gm	2		Type of Motor	Persons F	Persons
Compliance Level		Uńknown	2		Vehicle Crash	Injured	Killed
Compliant	2,187				Total Crashes	176	5
Non-compliant	6				Type of Motor Vehicle Crash Total Crashes Alcohol-Related	28	0
Compliance Level Compliant Non-compliant Percent Compliant	99.7	Perinatal			With Citation:		
		Mortality	Deaths	Rate	For OWI	19	0
		Total Perinatal	4		For Speeding Motorcyclist	7	0
		Neonatal	2		Motorcyclist	12	0
		Total Perinatal Neonatal Fetal	2	•	Bicyclist	1	1
					Pedestrian	2	0

------ HOSPITALIZATIONS ------

PAGE 4

1,000 Pop 14.7 4.9 10.6 42.3 11.4 1.4 8.1 13.7 6.4	(Days) 4.9 1.7 3.6 5.1 6.0 6.1 1.5 6.4 5.9 5.4 3.6 3.2	\$17,724 \$7,982 \$15,566 \$18,580 \$20,077 \$20,862 \$20,862 \$5,213 \$6,352 \$5,200 \$6,672 \$21,059 \$22,342	Per Capita  \$260 \$39 \$168 \$196 \$850 \$40 \$238 \$8 . \$52 \$71 \$43 . \$215 \$246	DISEASE / AGE GROUP  Alcohol-Relate Total 18-44 45-64 Pneumonia and Total <18 45-64 65+ Cerebrovascula Total 45-64 65+ Chronic Obstru Total <18 18-44 45-64 65+ Drug-Related Total 18-44	ed 29 16 9 Influenza 132 15 19 85 ar Disease 75 19	1,000 Pop  1.6 7.3 27.7 4.2 17.6 onary D 3.0 9.8	4.9 4.6 Disease 3.9	\$3,925  \$9,604  \$11,500 \$12,328 \$10,443	Per Capita \$6 \$70 \$318 \$51 \$184 \$26 \$102
4.9 10.8 10.6 42.3 1.9 11.4 1.4 1.4  8.1 13.7 6.4	1.7 3.6 5.1 6.0 6.1 6.1 1.5 6.4 5.9 5.4	\$7,982 \$15,566 \$18,580 \$20,077 \$20,862 \$20,862 \$5,213 \$6,352 \$5,200 \$6,672 \$21,059 \$22,342	\$39 \$168 \$196 \$850 \$40 \$238 \$8 \$52 \$71 \$43	Total 18-44 45-64 Pneumonia and Total <18 45-64 65+ Cerebrovascula Total 45-64 65+ Chronic Obstru Total <18 18-44 45-64 65+ Drug-Related Total	29 16 9 Influenza 132 15 19 85 ar Disease 75 19 54 uctive Pulm 54 4 6 14 30	7.3  27.7 4.2  17.6 onary E 3.0 	4.3 5.2 4.9 4.6 Disease 3.9	\$9,604  \$11,500 \$12,328 \$10,443 \$8,701	\$70  \$318 \$51  \$184 \$26 
4.9 10.8 10.6 42.3 1.9 11.4 1.4 1.4  8.1 13.7 6.4	1.7 3.6 5.1 6.0 6.1 6.1 1.5 6.4 5.9 5.4	\$7,982 \$15,566 \$18,580 \$20,077 \$20,862 \$20,862 \$5,213 \$6,352 \$5,200 \$6,672 \$21,059 \$22,342	\$39 \$168 \$196 \$850 \$40 \$238 \$8 \$52 \$71 \$43	18-44 45-64 Pneumonia and Total <18 45-64 65+ Cerebrovascula Total 45-64 65+ Chronic Obstru Total <18 18-44 45-64 65+ Drug-Related Total	16 9 Influenza 132 15 19 85 ar Disease 75 19 54 uctive Pulm 54 4 6 14 30	7.3  27.7 4.2  17.6 onary E 3.0 	4.3 5.2 4.9 4.6 Disease 3.9	\$9,604  \$11,500 \$12,328 \$10,443 \$8,701	\$70  \$318 \$51  \$184 \$26 
10.8 10.6 42.3 1.9 11.4 1.4 1.4 8.1 13.7 6.4	3.6 5.1 6.0 6.1 6.1 1.5 6.4 5.9 5.4	\$15,566 \$18,580 \$20,077 \$20,862 \$20,862 \$5,213 \$6,352 \$5,200 \$6,672 \$21,059 \$22,342	\$168 \$196 \$850 \$40 \$238 \$8 \$52 \$71 \$43	45-64 Pneumonia and Total <18 45-64 65+ Cerebrovascula Total 45-64 65+ Chronic Obstru Total <18 18-44 45-64 65+ Drug-Related Total	9 Influenza 132 15 19 85 ar Disease 75 19 54 uctive Pulm 54 4 6 14 30	7.3  27.7 4.2  17.6 onary E 3.0	4.3 5.2 4.9 4.6 Disease 3.9	\$11,500 \$12,328 \$10,443 \$8,701	\$318 \$51 \$184 \$26
10.6 42.3 1.9 11.4 1.4  8.1  13.7 6.4 	5.1 6.0 6.1 6.1 1.5 6.4 5.9 5.4	\$15,566 \$18,580 \$20,077 \$20,862 \$20,862 \$5,213 \$6,352 \$5,200 \$6,672 \$21,059 \$22,342	\$196 \$850 \$40 \$238 \$8 \$52 \$71 \$43	Pneumonia and Total <18 45-64 65+ Cerebrovascula Total 45-64 65+ Chronic Obstru Total <18 18-44 45-64 65+ Drug-Related Total	Influenza 132 15 19 85 ar Disease 75 19 54 uctive Pulm 54 4 6 14 30	7.3  27.7 4.2  17.6 onary E 3.0	4.3 5.2 4.9 4.6 Disease 3.9	\$11,500 \$12,328 \$10,443 \$8,701	\$318 \$51 \$184 \$26
42.3 1.9 11.4 1.4 8.1 13.7 6.4	5.1 6.0 6.1 6.1 1.5 6.4 5.9 5.4	\$18,580 \$20,077 \$20,862 \$20,862 \$5,213 \$6,352 \$5,200 \$6,672 \$21,059 \$22,342	\$850 \$40 \$238 \$8 \$52 \$71 \$43	Total <18 45-64 65+ Cerebrovascula Total 45-64 65+ Chronic Obstru Total <18 18-44 45-64 65+ Drug-Related Total	132 15 19 85 ar Disease 75 19 54 uctive Pulm 54 4 6 14 30	 27.7 4.2 17.6 onary E 3.0	5.2 4.9 4.6 Disease 3.9	\$11,500 \$12,328 \$10,443 \$8,701	\$318 \$51 \$184 \$26
1.9 11.4 1.4 8.1 13.7 6.4	6.1 6.1 1.5 6.4 5.9 5.4	\$20,077 \$20,862 \$20,862 \$5,213 \$6,352 \$5,200 \$6,672	\$40 \$238 \$8 \$52 \$71 \$43	<18 45-64 65+ Cerebrovascula Total 45-64 65+ Chronic Obstru Total <18 18-44 45-64 65+ Drug-Related Total	15 19 85 ar Disease 75 19 54 uctive Pulm 54 4 6 14 30	 27.7 4.2 17.6 onary E 3.0	5.2 4.9 4.6 Disease 3.9	\$11,500 \$12,328 \$10,443 \$8,701	\$318 \$51 \$184 \$26
1.9 11.4 1.4 8.1 13.7 6.4	6.1 6.1 1.5 6.4 5.9 5.4	\$20,862 \$20,862 \$5,213 \$6,352 \$5,200 \$6,672 \$21,059 \$22,342	\$238 \$8 \$52 \$71 \$43	45-64 65+ Cerebrovascula Total 45-64 65+ Chronic Obstru Total <18 18-44 45-64 65+ Drug-Related Total	19 85 ar Disease 75 19 54 uctive Pulm 54 4 6 14 30	27.7 4.2 17.6 onary D 3.0	1. 5.2 4.9 4.6 Disease 3.9	\$12,328 \$10,443 \$8,701	\$51 \$184 \$26
11.4 1.4 8.1 13.7 6.4	6.1 1.5 6.4 5.9 5.4	\$20,862 \$5,213 \$6,352 \$5,200 \$6,672 \$21,059 \$22,342	\$238 \$8 \$52 \$71 \$43	65+ Cerebrovascula Total 45-64 65+ Chronic Obstru Total <18 18-44 45-64 65+ Drug-Related Total	85 ar Disease 75 19 54 uctive Pulm 54 4 6 14 30	4.2 17.6 onary E 3.0	4.9 4.6 Disease 3.9	\$12,328 \$10,443 \$8,701	\$51 \$184 \$26
1.4 8.1 13.7 6.4	1.5 6.4 5.9 5.4	\$5,213 \$6,352 \$5,200 \$6,672 \$21,059 \$22,342	\$8 \$52 \$71 \$43	Cerebrovascula Total 45-64 65+ Chronic Obstru Total <18 18-44 45-64 65+ Drug-Related Total	ar Disease 75 19 54 uctive Pulm 54 4 6 14 30	4.2 17.6 onary E 3.0	4.9 4.6 Disease 3.9	\$12,328 \$10,443 \$8,701	\$51 \$184 \$26
8.1 13.7 6.4	6.4 5.9 5.4	\$6,352 \$5,200 \$6,672	\$52 \$71 \$43	Total 45-64 65+ Chronic Obstruct Total <18 18-44 45-64 65+ Drug-Related Total	75 19 54 uctive Pulm 54 4 6 14 30	17.6 onary D 3.0	4.6 Disease 3.9	\$12,328 \$10,443 \$8,701	\$184 \$26
8.1 13.7 6.4	6.4 5.9 5.4	\$6,352 \$5,200 \$6,672	\$52 \$71 \$43	45-64 65+ Chronic Obstru Total <18 18-44 45-64 65+ Drug-Related Total	19 54 uctive Pulm 54 4 6 14 30	17.6 onary D 3.0	4.6 Disease 3.9	\$10,443 \$8,701	\$184 \$26
8.1 13.7 6.4	6.4 5.9 5.4	\$6,352 \$5,200 \$6,672	\$52 \$71 \$43	65+ Chronic Obstrutate Total <18 18-44 45-64 65+ Drug-Related Total	54 uctive Pulm 54 4 6 14 30	onary D 3.0	isease 3.9	\$8,701	\$26
13.7 6.4	5.9 5.4	\$5,200 \$6,672 \$21,059 \$22,342	\$52 \$71 \$43	Chronic Obstru Total <18 18-44 45-64 65+ Drug-Related Total	uctive Pulm 54 4 6 14 30	onary D 3.0	isease 3.9	\$8,701	\$26
13.7 6.4	5.9 5.4	\$5,200 \$6,672 \$21,059 \$22,342	\$71 \$43	Total <18 18-44 45-64 65+ Drug-Related Total	54 4 6 14 30	3.0	isease 3.9	\$8,701	
13.7 6.4	5.9 5.4	\$5,200 \$6,672 \$21,059 \$22,342	\$71 \$43	<18 18-44 45-64 65+ Drug-Related Total	4 6 14 30			· .	
13.7 6.4	5.4 3.6 3.2	\$5,200 \$6,672 \$21,059 \$22,342	\$71 \$43	18-44 45-64 65+ Drug-Related Total	6 14 30 7			· .	\$102
6.4 10.2 11.0	5.4 3.6 3.2	\$6,672 \$21,059 \$22,342	\$43 • \$215	45-64 65+ Drug-Related Total	14 30 7			\$10,423	\$102
10.2 11.0	3.6 3.2	\$21,059 \$22,342	\$215	65+ Drug-Related Total	30 7		4.6	\$10,423	\$102
10.2 11.0	3.6 3.2	\$21,059 \$22,342	\$215	Drug-Related Total	30 7	9.8	4.6	\$10,423	\$102
10.2 11.0	3.6 3.2	\$22,342	\$215	Drug-Related Total	7	:			
10.2 11.0	3.2	\$22,342		Total	7 5	•			
10.2 11.0	3.2	\$22,342			5	-	-	-	-
11.0	3.2	\$22,342			_		_	_	
	2	T,				-	-	-	•
	3.9	\$20,302	\$780	Total Hospita	lizations				
	0.0	420,002	Ψ, σσ	Total	2,744	152.1	3.9	\$10,475	\$1,593
ancers)	: A11			<18	379	87.9	2.6	\$4,153	\$365
5.2	6.7	\$21,898	\$114	18-44	652	106.6	3.1	\$7,921	\$844
	017	Ψ21,000	Ψιιι	45-64	522	115.0	3.8		\$1,416
6.8	5.6	\$18,935	\$129	65+	1,191	387.8	4.7	\$13,080	\$5,072
17.6		\$20,319	\$357		1,101	007.0	7.7	Ψ10,000	Ψ0,072
		r female n		F	PREVENTARI E	HOSPIT	ΔΙ ΤΖΔΤΤ	ONS*	
cast (i	acco 101	remare p	оритистоп)						\$206
al .	•	•	•						\$48
									\$50
	•	•	•					\$2,130	\$129
•	•	•	•						\$855
				031	250	01.4	4.5	ψ10,304	φυυυ
•	•	•	•						
				* Hospitalizatio	ns for cond	itions	where t	imely and	effectiv
	5.4	\$12,645	\$27	ambulatory care	can reduce	the lik	celihood	of hospi	talizatio
								•	
) )	2.2	2.2 5.4	2 2 5.4 \$12,645	2al	Total  18 18-44 45-64 65+ 6 2.2 5.4 \$12,645 \$27 ambulatory care	Total 415  (al	Total 415 23.0	Total 415 23.0 3.8	Total 415 23.0 3.8 \$8,965